

EQUIPMENT CATALOGUE EXPORT



**WHEEL BALANCERS
and Original Accessories**

effective from march 2026 / rel. july 2026

COLOR TABLE

STANDARD COLORS:

	RAL 3002	Corghi	/16
	RAL 7016	BMW Grey	/34 (orange peel)

NON-STANDARD COLORS REQUIRING A PRICE SURCHARGE:

	RAL 3000	Citroen Red	/12
	RAL 7015	Mercedes Grey	/52
	RAL 7011	Mercedes Grey	/33
	RAL 7012	Mercedes / Volkswagen / Porsche Grey	/65
	RAL 7040	Volkswagen / Fiat / Porsche Grey	/39
	RAL 7030	Maserati / Ferrari Grey	/69
	RAL 5011	Peugeot Blue	/A4 o /22 (orange peel)
	RAL 1003	Renault Yellow	/45
	RAL 7042	Renault Grey	/38
	RAL 9005	Lamborghini Black	/90 (orange peel)
	RAL 1007	Yellow	/40
	RAL 5015	Blue	/25
	RAL 9006	Light Grey	/36

Non-standard colors require following gross price surcharge:

The surcharge does not apply to orders of minimum 5 units of the same model.
Color customization refers to the main carpentry parts that identify the product's color,
it does not include any plastic parts.

■ : STANDARD O : COMPATIBLE - : NOT COMPATIBLE

Nexion SpA reserves the right to change the specifications of its products at any time without prior notice.

The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

WHEEL BALANCERS FOR CARS	4
EYE-LIGHT PLUS DIAGNOSTICLINE TOUCH	4
EM 9980C PLUS DIAGNOSTICLINE TOUCH	5
EM 9780C PLUS AUTOMATICLINE TOUCH	6
EM 9780 PLUS AUTOMATICLINE TOUCH	7
EM 9680 C PLUS DOTLINE TOUCH	8
EM 9680 PLUS DOTLINE TOUCH	9
EM 9550 C PLUS LASERLINE	10
EM 9550 PLUS LASERLINE	11
EM 9380 C XLINE TOUCH	12
EM 9380 XLINE TOUCH	13
EM 9380 C XLINE	14
EM 9380 XLINE	15
EM 9350 C XLINE	16
EM 9350 XLINE	17
EM 9280 C COMPACTLINE	18
EM 9280 COMPACTLINE	19
EM 9250 C COMPACTLINE	20
EM 9250 COMPACTLINE	21
 WHEEL BALANCERS BIKELINE	 22
EM 9250 BASIC BIKELINE	22
ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES	23
 WHEEL BALANCERS FOR CAR MOBILE SERVICE	 50
EM 9050 SPACESAVER	50
EM 9050 - TILT UP - HAND SPIN	51
EM 9050 - SLIDE - MOTORIZED SPIN	52
EM 9050 WORKBENCH	53
RECOMMENDED ACCESSORIES FOR CAR MOBILE SERVICE	54
 WHEEL BALANCERS FOR TRUCK MOBILE SERVICE	 57
ET 1050 MOBILE TRUCK	57
RECOMMENDED ACCESSORIES FOR ET 1050 MOBILE TRUCK	58
 OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS	 59
ET 1680 TRUCKLINE TOUCH	59
ET 1650 TRUCKLINE	60
ET 1450 TRUCKLINE	61
ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS	62

EYE-LIGHT PLUS DIAGNOSTICLINE TOUCH



STANDARD ACCESSORIES

SLUG
COD. 8-21100221



COD.
802227308

COD. 5-121236



for WiNut
system



WiNut Version



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21101101/16	100-230V / 1Ph / 50-60Hz	Diagnostic machine for tyre shops, work shops, car dealers and cars manufacturers; 22" touchscreen monitor; no-contact data measurement with double laser triangulator; easy-to-use punctiform laser ; Wireless automatic wheel locking device (WiNut); "Zero-space" wheel carter with automatic opening; industrial PC, camera and complete diagnosis (radial and lateral run-out, Tread depth and wheel drift); Weight management; iPos for smart wheel positioning;
0-21101100/16	100-230V / 1Ph / 50-60Hz	As above but with pedal operated automatic wheel locking

EM 9980C PLUS DIAGNOSTICLINE TOUCH



STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109984/16	100-230V / 1Ph / 50-60Hz	Diagnostic wheel balancer with 22" touchscreen, space-saving wheel guard, automatic clamping system, and non-contact laser measurement using two laser triangulation sensors. Laser pointer for adhesive weight application, advanced diagnostics (radial and lateral run-out, tread wear, and drift), and the «iPos» and «Weight Management Plus» programs. (AWD Width Sonar Not included)
0-21109983/16	100-230V / 1Ph / 50-60Hz	As above but with pedal operated automatic wheel locking

EM 9780C PLUS AUTOMATICLINE TOUCH




STANDARD ACCESSORIES

COD.
8-21100221



Ø 42÷118,5 MM



X3



COD. 5-121236



COD.
802227308



for WiNut
system



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109784/16	100-230V / 1Ph / 50-60Hz	Automatic wheel balancer for tyre shops, work shops, car dealers and cars manufacturers; no-contact data input (combined system LASER-SONAR) including 22" touchscreen monitor; punctiform laser in ergonomic position; Wireless automatic wheel locking device (WiNut); "Zero-space" wheel carter; Weight management; iPos Lite for smart wheel positioning. Wheel diagnostic, counterweights dispenser and support for HPC are optional.
0-21109783/16	100-230V / 1Ph / 50-60Hz	As above but with pedal operated automatic wheel locking

EM 9780 PLUS AUTOMATICLINE TOUCH

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109790/16	100-230V / 1Ph / 50-60Hz	Automatic Wheel Balancer for tyre shops, workshops, car dealers and cars manufacturers; No-contact data input (combined system LASER-SONAR) including 22" touchscreen monitor; punctiform laser in ergonomic position; "Zero-space" wheel carter; Weight management; iPos Lite for smart wheel positioning. Manual wheel clamping. Wheel diagnostic, counterweights dispenser and support for HPC are optional.

EM 9680 C PLUS DOTLINE TOUCH



STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109680/16	100÷230V / 1Ph / 50-60Hz	Fast and efficient wheel balancer , equipped with a 22" touchscreen, constant torque automatic pneulock wheel clamping with WiNut wireless control, and smart arm pro 28" system with automatic selection of balancing programs (fsp). includes zero-space wheel guard, laserdot pinpoint laser pointer, led illuminator, rpa, weight management plus, ipos lite. wenext ready. awd width sonar and runout diagnostic kit not included.
0-21109681/16	100÷230V / 1Ph / 50-60Hz	Fast and efficient wheel balancer , equipped with a 22" touchscreen, constant torque automatic pneulock wheel clamping, and smart arm pro 28" system with automatic selection of balancing programs (fsp). Includes zero-space wheel guard, laserdot pinpoint laser pointer, led illuminator, rpa, weight management plus, ipos lite. Wenext ready. Awd width sonar and runout diagnostic kit not included

EM 9680 PLUS DOTLINE TOUCH

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109682/16	100÷230V / 1Ph / 50-60Hz	Fast and efficient wheel balancer , equipped with a 22" touchscreen and smartarm pro 28" system with automatic selection of balancing programs (fsp). Includes zero-space wheel guard, laserdot pinpoint laser pointer, led illuminator, rpa, weight management plus, ipos lite. Wenext ready (Awd width sonar not included, runout diagnostic kit not included).


EM 9550 C PLUS LASERLINE

STANDARD ACCESSORIES

COD.
8-21100221



Ø 42÷118,5 MM



COD.
802227308



COD.
8-21100159



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109556/16	100-230V / 1Ph / 50-60Hz	Display wheel balancer with LaserLine indicator, automatic wheel clamping, automatic data input with Fast Selection Program, "Zero Space" wheel guard, WM program included (WM not included, AWD Width Sonar Not included)

EM 9550 PLUS LASERLINE

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109557/16	100-230V / 1Ph / 50-60Hz	Display wheel balancer with LaserLine indicator, manual wheel clamping, “Zero Space” wheel guard, WM program included (WM not included, AWD Width Sonar Not included).

EM 9380 C XLINE TOUCH

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21193806/16	200-230V / 1Ph / 50-60Hz	Wheel balancer with 22" Touchscreen monitor, LaserLine indicator, Led illuminator, automatic wheel clamping, 28" SmartArm device, Weight Management (WM not included, AWD Width Sonar Not included).

EM 9380 XLINE TOUCH

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21193805/16	200-230V / 1Ph / 50-60Hz	Wheel balancer with 22" Touchscreen monitor, LaserLine indicator, Led illuminator, manual wheel clamping, 28" SmartArm device, Weight Management. (WM not included, AWD Width Sonar Not included).

EM 9380 C XLINE

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21193802/16	200-230V / 1Ph / 50-60Hz	Wheel balancer with LaserLine indicator, automatic data input, Automatic wheel clamping, WM program included (monitor Not included, AWD Width Sonar Not included).
0-21193803/16	100-115V / 1Ph / 50-60Hz	Wheel balancer with LaserLine indicator, automatic data input, Automatic wheel clamping, WM program included (monitor Not included, AWD Width Sonar Not included).

EM 9380 XLINE


STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21193800/16	200-230V / 1Ph / 50-60Hz	Wheel balancer with LaserLine indicator, automatic data input, WM program included (monitor Not included, AWD Width Sonar Not included).
0-21193801/16	100-115V / 1Ph / 50-60Hz	Wheel balancer with LaserLine indicator, automatic data input, WM program included (monitor Not included, AWD Width Sonar Not included).

EM 9350 C XLINE

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21193502/16	200-230V / 1Ph / 50-60Hz	LCD Display machine with LaserLine indicator, automatic data input and automatic wheel locking (AWD Width Sonar Not included).
0-21193503/16	100-115V / 1Ph / 50-60Hz	As above but with different power supply (AWD Width Sonar Not included).


EM 9350 XLINE

STANDARD ACCESSORIES

COD.
8-21100221



Ø 42÷118,5 MM



COD.
802227308



X3



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21193500/16	200-230V / 1Ph / 50-60Hz	LCD display machine with LaserLine indicator, automatic data input with FSP (AWD Width Sonar Not included).
0-21193501/16	100-115V / 1Ph / 50-60Hz	LCD display machine with LaserLine indicator, automatic data input with FSP (AWD Width Sonar Not included).

EM 9280 C COMPACTLINE

STANDARD ACCESSORIES




CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21192804/16	200-230V / 1Ph / 50-60Hz	Wheel balancer , compact and essential with professional performances; Pneumatic wheel clamping (patent). Easy & Quick to use; Automatic wheel distance and diameter acquisition with SMARTARM for the automatic identification of the best balancing program; AWC (Auto Width Calculation): automatic calculation of the width even if the AWD external sensor is not present. The wheel balancer calculates the width by reducing the operational time; Automatic braking at end of measurement; Rpa system - research of the weight automation position and automatic clamping brake; Quick optimise, Hidden weight and Split weight programmes for motorcycles; 4 cones (42÷118,5mm); Monitor and PL50 not included (Monitor Not included, AWD Width PL 50 Not included, AWD Width Sonar Not included).
0-21192805/16	100-115V / 1Ph / 50-60Hz	EM9280 C CompactLine , as above, but with different power supply.

EM 9280 COMPACTLINE

STANDARD ACCESSORIES

COD.
8-21100221



COD.
802227308



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21192800/16	200-230V / 1Ph / 50-60Hz	Wheel balancer with automatic data input, automatic brake at the end of the spin, RPA system, WM program included (Monitor Not included, AWD Width PL 50 Not included, AWD Width Sonar Not included).
0-21192801/16	100-115V / 1Ph / 50-60Hz	Wheel balancer with automatic data input, automatic brake at the end of the spin, RPA system, WM program included (Monitor Not included, AWD Width PL 50 Not included, AWD Width Sonar Not included).
0-21192802/16	200-230V / 1Ph / 50-60Hz	Wheel balancer with automatic data input, automatic brake at the end of the spin, RPA system, WM program included (Monitor Not included, AWD Width PL 50 Not included, AWD Width Sonar Not included).
0-21192803/16	100-115V / 1Ph / 50-60Hz	Wheel balancer with automatic data input, automatic brake at the end of the spin, RPA system, WM program included (Monitor Not included, AWD Width PL 50 Not included, AWD Width Sonar Not included).

EM 9250 C COMPACTLINE

STANDARD ACCESSORIES



28"

CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21192513/16	200-230V / 1Ph / 50-60Hz	LCD display wheel balancer with automatic data input and automatic brake at the end of the spin, PNEULOCK automatic wheel clamping, AWC Auto Width Calculation, automatic brake at the end of the measurement and RPA system (AWD PL50 Not included).
0-21192514/16	100-115V / 1Ph / 50-60Hz	As above, but with different power supply.


EM 9250 COMPACTLINE

STANDARD ACCESSORIES

COD.
8-21100221



Ø 42÷118,5 MM



X3



cod.
802227308



Premium Version




CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21192508/16	200-230V / 1Ph / 50-60Hz	PREMIUM Version: EM9250 CompactLine , LCD display machine with automatic data input and automatic brake at the end of the spin. Electric brake and RPA system AWD Width PL50 Not included.
0-21192509/16	100-115V / 1Ph / 50-60Hz	As above, but with different power supply . (AWD Width Sonar Not included).
0-21192510/16	200-230V / 1Ph / 50-60Hz	LCD display machine with automatic data input and automatic brake at the end of the spin, Electric brake and RPA system, (wheel guard Not included, AWD Width Sonar Not included).
0-21192511/16	100-115V / 1Ph / 50-60Hz	As above, but with different power supply . (AWD Width Sonar Not included).
0-21192504/16	200-230V / 1Ph / 50-60Hz	PROFESSIONAL Version: EM9250 CompactLine , LCD display machine with automatic data input and automatic brake at the end of the spin.
0-21192505/16	100-115V / 1Ph / 50-60Hz	As above, but with different power supply .
0-21192506/16	200-230V / 1Ph / 50-60Hz	LCD display machine with automatic data input and automatic brake at the end of the spin, (wheel guard Not included, AWD Width Sonar Not included).
0-21192507/16	100-115V / 1Ph / 50-60Hz	As above, but with different power supply .
0-21192500/16	200-230V / 1Ph / 50-60Hz	BASIC Version: EM9250 CompactLine , LCD display machine with manual data input and automatic brake at the end of the spin.
0-21192501/16	100-115V / 1Ph / 50-60Hz	As above, but with different power supply .
0-21192502/16	200-230V / 1Ph / 50-60Hz	LCD display machine with manual data input and automatic brake at the end of the spin (wheel guard Not included, AWD Width Sonar Not included).
0-21192503/16	100-115V / 1Ph / 50-60Hz	As above, but with different power supply .

EM 9250 BASIC BIKELINE



STANDARD ACCESSORIES

COD.
8-21100221



COD.
802227308




28"



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21192512/16	200-230V / 1Ph / 50-60Hz	EM9250 Basic Bike Line, LCD display wheel balancer complete with BIKE UNIVERSAL KIT and PRA4 KIT


ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM9980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
IMAGE	DESCRIPTION	CODE																				
MONITORS																						
	22" Wide screen monitor. (not for Touchscreen version)	8-21100234		-	-	-	-	-	-	-	-	0	0	-	-	-	-	-	-	-	-	
	19" Wide screen monitor. (not for Touchscreen version)	8-21100235		-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	-	-	-	
	Cleaning kit for monitor.	8-21120006		0	0	0	0	0	0	-	-	0	0	-	-	0	0	-	-	-	-	
ELECTRONIC DEVICES																						
 LAN CONNECTION KIT	LAN CONNECTION KIT Interconnection kit of the wheel balancer to the company management system network; it allow to view, archive and print remotely thedifferent me- asurement and diagnostic reports of the diagnostic wheel balancer.	8-21100255		0	0	0	0	0	0	-	-	0	0	-	-	0	0	-	-	-	-	

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM9980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
	RRS-2 - Sonar RUN-OUT Kit allows you to check the status of wheel eccentricity through a system of colored icons on the main screen.	8-21100277		-	-	-	-	-	-	-	-	0	0	-	-	0	0	-	-	-	-	-
	EG1 Width wheel measurement.	8-21100074		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-
	LASER BLADE KIT: Upgrade kit for EM93xx & EM92xx series, to guide the operator in choosing the rim's inner planes without any errors and with extremely good visibility.	8-21120022		-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0
	Upgrade kit LASER BLADE for EM95xx series, not Plus (this kit is already fitted on the EM9550-EM9580 Plus series, it allows the upgrade of the EM95xx models not in Plus version, manufactured until end of 2017).	8-21120023		-	-	-	-	-	-	■	■	-	-	-	-	-	-	-	-	-	-	-

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE
	Laser & Led kit	8-21100238		-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	-
	AWD kit for wheel width measurement by Sonar sensor. Compatible with wheel balancer models produced from July 2024	8-21100293/90		-	-	■	■	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-
	RETROFIT KIT - WiNut to add the WiNut system to wheels balancers produced without it; EM92xx-C and EM93xx-C manufactured starting from July 2019	8-21100242		0	0	0	-	0	-	-	-	0	-	0	-	0	-	0	-	-	-	-
	RRS - Sonar RUN-OUT Kit for measuring wheel eccentricity. In touchscreen models, in addition to graphical data visualization, the BESTFIT function is also included.	8-21100250		-	-	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-


ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM9980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE
IMAGE	DESCRIPTION	CODE																				
LIFTERS																						
	TT - ZERO GRAVITY Automatic self-balancing wheel lifter, 80 kg capacity	8-21100230		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TT-R Professional adjustable scissor wheel lifter, one handed control, 80 kg capacity	8-21100248		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TT0 mounting kit for TT-ZERO GRAVITY and TT-R wheel lifter, only for EM9380, EM9350, EM9280 and 9250.	8-21100231		-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE
IMAGE	DESCRIPTION	CODE																				
	Flap kit for TT-ZERO GRAVITY and TT-R wheel lifter (it allows to mount the lifter on wheel balancers with lateral foot) for EM9280, EM9250.	8-21600132		-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0
	TT 80 PLUS Universal pneumatic lifter, max load kg 80.	8-21100161/90		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 FTT1	FTT1 Mounting kit for TT80.	8-21100163		-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0


ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
 FTT2	FTT2 Mounting kit for TT80.	8-21120002		0	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-
CUSTOMIZATION KITS																						
	Side support panel: accessory holder support panel for centering kits and HPC kits, painted in red color (for wheel balancers already painted in red color RAL 3002 - /16)	8-21100258/16		-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0
	Side support panel: accessory holder support panel for centering kits and HPC kits, painted in black color (for wheel balancers already painted in other, Not RAL 3002 - /16)	8-21100258/90		-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0
	Support panel for HPC High Precision Collets centering kit, painted in red color (for wheel balancers already painted in red color RAL 3002 in /16)	8-21100253/16		-	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-
	Support panel for HPC High Precision Collets centering kit, painted in black color (for wheel balancers painted in other colors, Not RAL 3002 in /16)	8-21100253/90		■	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE
	PL50 Foot for installation without anchoring to floor. Maximum wheel weight is limited to 50 Kg with the foot installed (RED COLOR)	8-21100158/16		-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0
	PL50 Foot for installation without anchoring to floor. Maximum wheel weight is limited to 50 Kg with the foot installed (BLACK COLOR).	8-21100158/90		-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0
	Customization colour kit only for EM9250 and EM9280	8-21100245/xx		-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0


ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
IMAGE	DESCRIPTION	CODE																				
MISCELLANEOUS																						
	DISPENSER KIT: easy-to-use dispenser kit for adhesive counterweights coil.	8-21100251		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Adhesive counterweights coil: metal coil 5 gr x 1200 - 6 kg	8-21100252		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Complete wheel guard kit for EM92xx series	8-21100246/90		-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	
	ASF Kit - Adjustable Stability Foot, optimizes the stability of the wheel balancer in case of accidental contact by the operator	8-21100299		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE	
IMAGE	DESCRIPTION	CODE																					
	CB Pedal clamping brake only for EM9250.	8-21100191		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	
	AWR adhesive weight remover.	802461006		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	PR Inkjet USB printer	8-21120005		0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PRS Printer support kit	8-21100236/90		0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	
	PFC Weight pliers.	802227308		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
	Clip for assisted application of adhesive weights only for EM92XX, EM93XX.	8-21100159		-	-	-	-	■	■	■	■	0	0	0	0	0	0	0	0	0	0	0	



ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE
	PPT Bead depressor clamp.	8-21100225		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	VC-Voltage Converter 220V to 110V VOLTAGE CONVERTER TO ELECTRICALLY CONNECT A 110V WHEEL BALANCER TO A 220V MAINS VOLTAGE. ONLY FOR MARKETS THAT HAVE DUAL 220V AND 110V MAINS POWER SUPPLIES AND FOR WHEEL BALANCERS MANUFACTURED IN 110V.	8-21100292/90		-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0

WHEEL CENTERING KITS


	GBP40 EVO KIT – professional quick nut kit ø40x3mm	8-21100289		-	-	-	■	-	■	-	■	-	■	-	■	-	■	-	■	■	■	0
	PCF1 WHEEL PROTECTOR FOR CENTERING ALLOY RIMS	4-115868																				
	CF1 WHEEL CLAMPING CAP	4-115863																				
	CD1 SPACER CAP	4-115864																				
	GBP EVO QUICK NUT	5-101561																				
	GBP1 CLAMP "R"	4-104798																				
	GBP2 CLAMP "L"	4-104799																				
	GBP3 LEVER	4-104796																				
	CCK3 EVO KIT – centering cone kit ø40mm 42÷103,5mm	8-21100280		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	0
	CP1 SMALL CONE Ø42÷68 MM	5-107970																				
	CP2 MEDIUM CONE Ø60÷87 MM	5-107968																				
	CP3 LARGE CONE Ø83÷103 MM	5-107969																				
	MFS - Standard Threaded shaft ø 40x3 mm - 181,5 mm long	8-21100283		-	-	-	■	-	■	-	■	-	■	-	■	-	■	-	■	■	■	0
	MFL – XL threaded shaft ø40x3mm - 220mm long	8-21100193		-	-	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	0	0

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT	EM9980 C	EM9780 C	EM9780 PL	EM9680 C	EM9680 PL	EM9550 C	EM9550 PL	EM9380 C	EM9380 TC	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C	EM9250 PL	EM9250 PL	EM9250 BA	EM9250 BA
	MBP40 EVO KIT – locking sleeve kit for electric or pneumatic wheel locking system	8-21100285		■	■	■	-	■	-	■	-	■	-	■	-	■	-	■	-	-	-	-
	PCF1 WHEEL PROTECTOR FOR CENTERING ALLOY RIMS	4-115868																				
	CF1 WHEEL CLAMPING CAP	4-115863																				
	CD1 SPACER CAP	4-115864																				
	QLS QUICK LOCKING SLEEVE	5-107394																				
WHEEL CENTERING KITS																						
	SBC Set of 6 bushes for reverse side centring Ø 40 mm	8-21100082		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	B1 AUDI, BMW, CHRYSLER, OPEL, ROVER, SEAT, VW, DAEWOO, GALAXY (FORD), LOTUS, BRITISH-LEYLAND, SMART (MERCEDES), SKODA	4-105075																				
	B2 CITRÖEN, HYUNDAI, LANCIA, MASERATI, MAZDA, MERCEDES, MITSUBISHI, NISSAN, OPEL, PEUGEOT, SAAB, VOLVO.	4-105076																				
	B3 BMW, JAGUAR, ASTON MARTIN.	4-105077																				
	B4 FORD, HONDA, ROVER	4-105078																				
	B5 AUTOBIANCHI, ALFA ROMEO, CITRÖEN, FIAT, LADA, LANCIA, JALBOT, BITURBO (MASERATI), MAZDA, NISSAN, PEUGEOT, PORSCHE, RENAULT, 2600-3500 SERIE (ROVER), SEAT =>90, SKODA, TOYOTA.	4-105079																				
	B7 CITRÖEN, DAIHATSU, HONDA, KIA, MAZDA, MITSUBISHI, PEUGE-OT, ROVER, SUBARU, TOYOTA, AGILA (OPEL), SUZUKI, HYUDAY.	4-105080																				
	HPC High Precision Collets centering kit (8 two-faced slightly tapered bushings)	8-21100244		■	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE
IMAGE	DESCRIPTION	CODE																				
	Trolley for HPC kit.	8-21100243/90		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHEEL CENTERING KITS																						
	B6 Bush “Racing” Ø 67 mm for FERRARI / MASERATI	8-21100083		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	B9 Bush OPEL Ø 56,5-65-70,1 mm	8-21100085		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
    	B10 Ø 60 mm B12 Ø 66 mm B13 Ø 71 mm B14 Ø 89 mm B15 Ø 130 mm	RENAULT Set of 5 Renault bushes.	8-21100229	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		B10 60 MM	4-105106																			
		B12 66 MM	4-107025																			
		B13 71 MM	4-107026																			
		B14 89 MM	4-107027																			
		B15 130 MM	4-107028																			

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES																							
IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM9980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE	
B11  B6	BMW - MINI KIT	8-21100228		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	B6 Ø 66.5 MM	4-105103																					
	B11 Ø 56.5 - Ø 72.5 - Ø 74 MM	4-105108																					
	BMW KIT - SPECIAL KIIT Ø 81,5MM (BMW 28 502 923)	8-21100304		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B21  B22	BMW CENTRAL LOCK KIT (BMW 28 502 962)	8-21100305		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	B21 Ø 70MM	4-150579																					
	B22 BMW PRESSURE	5-129225																					
B17  B16	MERCEDES KIT	8-21400022		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	B16 Ø 57 / 66,1 / 66,42 / 66,50 / 67 MM	4-138168																					
	B17 Ø 60 / 84 MM	4-138169																					
B18 B19 B20 	PORSCHE KIT	8-21101404		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	B18 Ø 71,6/84/66.5MM	4-150348																					
	B19 PORSCHE 918	4-150350																					
	B20 PORSCHE PRESSURE	5-129095																					
WHEEL CENTERING																							
 CIP	CIP Intermediate cone Ø 55÷72 mm	8-21100200		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES


IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE
 CGF PCF1 CF1	ARF Accessory for off-road wheels Ø 100 ÷118,5 mm, Ø 100 ÷129,5 mm	8-21100080		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	0
	CGF - OFF-ROAD WHEEL CONE (VANS)	4-103186																				
	PCF1 - WHEEL PROTECTOR FOR CENTRING ALLOY RIMS	4-115868																				
	CF1 - WHEEL CLAMPING CAP	4-115863																				
 DX1 CF1 CF2	DX/CBF Centring accessory for van and off-road wheels with central hole with Ø 117÷173 mm.	8-21100141		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DX1 SPACER 4-107426																					
	CF1 CONE FOR VANS Ø 117÷147 MM 4-107423																					
	CF2 CONE FOR VANS 143÷173 MM 4-107424																					
WHEEL CENTERING																						
 DX1 CF161	DX1/CF161 Professional centring kits for Mercedes Benz Sprinter and Volkswagen Crafter commercial vehicles with central hole with Ø 161 mm.	8-21120004		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DX1 SPACER 4-107426																					
	CF161 CENTERING CONE Ø 161 MM 4-131929																					

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM9980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
IMAGE	DESCRIPTION	CODE																				
WHEEL SPACERS																						
	DM Spacer MINI MORRIS Ø 40 mm	8-21100088		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ARS Racing accessory for sports wheels, for use with racing bush	8-21100089		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHEEL CLAMPING - ASSORTED ACCESSORIES																						
	VGBP Hand wheel for wheel fastener ring.	802260682		-	-	-	-	-	0	-	0	-	0	-	0	-	0	-	0	0	0	0
	Kit with 2 revolving knob	8-21100291		-	-	-	-	-	0	-	0	-	0	-	0	-	0	-	0	0	0	0

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS	EM9980 C PLUS	EM9780 C PLUS	EM9780 PLUS LINE	EM9550 C PLUS	EM9550 PLUS	EM9380 C / TOUCHSCREEN	EM9380 / TOUCHSCREEN	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE						
IMAGE	DESCRIPTION	CODE																								
WHEEL CENTERING																										
	Centering cone capacity from Ø95 to Ø137 mm.	8-21100096		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0						
 DX2 CST	CLT Light truck cone Ø 110÷132 mm.	8-21100201		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0						
	<table><tr><td>DX2</td><td>SPACER</td><td>341843</td></tr><tr><td>CST</td><td>LIGHT TRUCK CONE Ø 110÷132 MM</td><td>4-112320</td></tr></table>		DX2	SPACER	341843	CST	LIGHT TRUCK CONE Ø 110÷132 MM	4-112320																		
	DX2	SPACER	341843																							
CST	LIGHT TRUCK CONE Ø 110÷132 MM	4-112320																								



ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES																						
IMAGE	DESCRIPTION	CODE																				
 OR  CBG	CBG Cap for clamping alloy rims Ø 210 mm	802459564	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	OR ELASTIC RUBBER RING462817																					
	QLN Ghiera rapida pneumatica Quick Lock. Installable on all models with threaded Ø 40 mm hub. Accessory with compressed air gun for clamping.	8-21100095	-	-	-	-	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	
FLANGES FOR CLAMPING WHEELS WITH CENTRAL HOLE																						
 per cerchi a 5 fori. Range bloccaggio 95,25 - 180 mm  Ø 28  Ø 22,5  Ø 22,5  Ø 19 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP C Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	FPF FASTPLATE 5 for 5-hole rims. Clamping range : 95,25 ÷ 180 mm	8-21100294	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	


ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM9980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKE LINE
IMAGE	DESCRIPTION	CODE																				
 per cerchi a 3-4-6-8 fori. Range bloccaggio 95,25 - 180 mm  Ø 28  Ø 22,5  Ø 22,5  Ø 19	PF FFASTPLATE 3-4-6-8 for 3-4-6-8-hole rims. Clamping range : 95,25 ÷ 180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP C Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100295		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 8-21100296 PF FFASTPLATE KIT per cerchi a 3-4-5-6-8 fori. Range bloccaggio 95,25 - 180 mm  Ø 28  Ø 22,5  Ø 22,5  Ø 19	PF FFASTPLATE KIT For 3-4-5-6-8-hole rims. (it included P/N 8-21100294 and P/N 8-21100295) Clamping range: 95,25÷180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP C Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100296		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	PF FFASTPLATE KIT For 3-4-5-6-8-hole rims. (it included P/N 8-21100294 and P/N 8-21100295) Clamping range: 95,25÷180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP C Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100297		0	0	0	0	0	-	0	-	0	-	0	-	0	-	0	-	-	-	-


ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT	EM9980 C	EM9780 C	EM9780 PL	EM9680 C	EM9680 PL	EM9550 C	EM9550 PL	EM9380 C	EM9380 TC	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C	EM9250 PF	EM9250 PE	EM9250 B/	EM9250 R/					
FLANGES FOR CLAMPING WHEELS WITH CENTRAL HOLE																											
	FPF-2 BMW Universal flange kit for wheels with central hole (Ø 4x100/5x120/5x112).	8-21100145		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	FPF3 BMW SPECIAL FLANGE PLATE ø 5X132mm (BMW 28 502 909)	8-21100303		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	FPF Basic Universal flange kit for wheels with central hole Ø 40 mm.	8-21100152		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	<table><tr><td>HLT2</td><td>CAP Ø 22,5 L 58</td><td>4-109127</td></tr><tr><td>PET</td><td>BASIC PETAL</td><td>4-108097</td></tr></table>		HLT2	CAP Ø 22,5 L 58	4-109127	PET	BASIC PETAL	4-108097																			
HLT2	CAP Ø 22,5 L 58	4-109127																									
PET	BASIC PETAL	4-108097																									

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE	EYE-LIGHT	EM9980 C	EM9780 C	EM9780 PL	EM9680 C	EM9680 PL	EM9550 C	EM9550 PL	EM9380 C	EM9380 TO	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C	EM9250 PR	EM9250 PR	EM9250 BA	EM9250 BA																		
FLANGES FOR CLAMPING WHEELS WITH AND WITHOUT CENTRAL HOLE																																							
	FRU-SA D.40 Universal flange for wheels with or without central hole.	8-21100091	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
	<table><tr><td>FT 1</td><td>CONNECTING ROD WITH PIN</td><td>2401415</td></tr><tr><td>DEB</td><td>CONICAL/SPHERIC NUT FOR WHEEL FIXING</td><td>321878</td></tr><tr><td>CHT6</td><td>T HEXAGONAL KEY CH 6</td><td>4-105877</td></tr><tr><td>RFS</td><td>CALIPER</td><td>441286</td></tr><tr><td>CEP</td><td>HEXAGONAL KEY CH 22</td><td>426517</td></tr><tr><td>CHI 6</td><td>HEXAGONAL KEY CH 6</td><td>600906</td></tr></table>		FT 1	CONNECTING ROD WITH PIN	2401415	DEB	CONICAL/SPHERIC NUT FOR WHEEL FIXING	321878	CHT6	T HEXAGONAL KEY CH 6	4-105877	RFS	CALIPER	441286	CEP	HEXAGONAL KEY CH 22	426517	CHI 6	HEXAGONAL KEY CH 6	600906																			
	FT 1	CONNECTING ROD WITH PIN	2401415																																				
	DEB	CONICAL/SPHERIC NUT FOR WHEEL FIXING	321878																																				
	CHT6	T HEXAGONAL KEY CH 6	4-105877																																				
	RFS	CALIPER	441286																																				
	CEP	HEXAGONAL KEY CH 22	426517																																				
CHI 6	HEXAGONAL KEY CH 6	600906																																					
	BVFF Set of 5 bushes for precise centring on FRU flange.	8-21100092	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		
	<table><tr><td>BF1</td><td>BUSHING Ø 55 PEUGEOT</td><td>4-105110</td></tr><tr><td>BF2</td><td>BUSHING Ø 58,1 FIAT RITMO AND CITRÖEN CX/EVASION, PEUGEOT 806</td><td>4-105174</td></tr><tr><td>BF3</td><td>BUSHING Ø 60,1 RENAULT</td><td>4-105175</td></tr><tr><td>BF4</td><td>BUSHING Ø 65 PEUGEOT, CITRÖEN</td><td>4-105176</td></tr><tr><td>BF5</td><td>BUSHING Ø 57 BMW,VW, AUDI, SEAT</td><td>4-106570</td></tr></table>		BF1	BUSHING Ø 55 PEUGEOT	4-105110	BF2	BUSHING Ø 58,1 FIAT RITMO AND CITRÖEN CX/EVASION, PEUGEOT 806	4-105174	BF3	BUSHING Ø 60,1 RENAULT	4-105175	BF4	BUSHING Ø 65 PEUGEOT, CITRÖEN	4-105176	BF5	BUSHING Ø 57 BMW,VW, AUDI, SEAT	4-106570																						
	BF1	BUSHING Ø 55 PEUGEOT	4-105110																																				
	BF2	BUSHING Ø 58,1 FIAT RITMO AND CITRÖEN CX/EVASION, PEUGEOT 806	4-105174																																				
	BF3	BUSHING Ø 60,1 RENAULT	4-105175																																				
	BF4	BUSHING Ø 65 PEUGEOT, CITRÖEN	4-105176																																				
	BF5	BUSHING Ø 57 BMW,VW, AUDI, SEAT	4-106570																																				

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES				EYE-LIGHT PLUS TOUCH	EM9980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
IMAGE	DESCRIPTION	CODE																				
FLANGES FOR CLAMPING WHEELS WITH AND WITHOUT CENTRAL HOLE																						
	Locking disc for BVFF bushes for FRU-SA flange, for wheel balancers with manual clamping	8-21100207		-	-	-	0	-	0	-	0	-	0	-	0	-	0	-	0	0	0	0
	Locking disc for BVFF bushes for FRU-SA flange, for wheel balancers with automatic "C" clamping	8-21100208		0	0	0	-	0	-	0	-	0	-	0	-	0	-	0	-	-	-	-
	BCO Set of five conical washers for FRU-sa for use with DCL and DEB when working with holes with ø greater than 21 mm	802321387		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DCL Set of five conical nuts for alloy rims with FRU-SA flange.	802322075		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DMS Set of five spherical nuts for alloy rims with FRU-SA flange.	802322076		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
	DC5 Set of five special nuts for Citroen C5.	802262700		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	SDR Set of five special nuts for quick wheel fastening. BC - CONICAL BUSH 431481 BOS - SPHERIC BUSH 431482 VF - QUICK FIXING SCREW 431480	802231479		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CALIBRATION AND TECHNICAL SUPPORT SYSTEM																						
	BLCK-1 Laser calibrator for EM9980-C Plus, Eyclight Plus, EM9780 Plus	8-21120001		0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS232 serial cable (mbu - mbe - seb).	8-21100224		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	USB-RS232 adapter kit.	8-21100226		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	SLUG Sample weight for calibration.	8-21100221		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■

**ACCESSORIES FOR WHEEL BALANCERS
FOR CARS & MOTORCYCLES**

IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM9980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
	Tool kit	8-21100197		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

ACCESSORIES FOR WHEEL BALANCERS FOR MOTORCYCLES


CENTERING AND CLAMPING ACCESSORIES FOR MOTORCYCLE WHEELS

In the range of accessories for off-the-vehicle wheel balancers is now available the new BIKES UNIVERSAL KIT with various additional sets for centering and dynamic balancing of motorcycle wheels.
Easy to install and quickly to use. Ideal for small scooter wheels up to 21 inches large off-road type; without forgetting the wide chopper type and those monolever without bearings. Balancing results excellent!
Universal for all wheel balancers in range both manual and automatic clamping.


EXAMPLE OF USE




Shaft with centering cones.




Shaft with centering sleeves.




Motorcycle shaft with same diameter as the floating bearing.





Shaft with special centering kit.




ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT PLUS TOUCH	EM980 C PLUS TOUCH	EM9780 C PLUS TOUCH	EM9780 PLUS TOUCH	EM9680 C PLUS TOUCH	EM9680 PLUS TOUCH	EM9550 C PLUS	EM9550 PLUS	EM9380 C TOUCH	EM9380 TOUCH	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C PREMIUM	EM9250 PREMIUM	EM9250 PROFESSIONAL	EM9250 BASIC	EM9250 BASIC BIKELINE
	BIKE UNIVERSAL KIT BASIC DEVICE FOR BALANCING MOTORCYCLES AND SCOOTERS WHEELS. WHEEL HOLDER SHAFT 14 MM. * MOTORCYCLE EXTENSION GAUGE NOT INCLUDED	8-21120012		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	■
	1 DRAGGING GROUP	3-03408																				
	2 CYLINDRICAL CHUCK	3-03409																				
	3 HEXAGON SOCKET SCREW M 6X14	3-03410																				
	4 SINGLE HEAD WRENCH SW50	3-03411																				
	5 WHEEL HOLDER SHAFT Ø 14 MM	3-03412																				
	6 CENTERING CONE 15÷30 MM	3-03413																				
	7 CENTERING CONE 16÷45 MM (SCOOTER)	3-03414																				
	8 QUICK FIX FOR SHAFT Ø 14 MM	3-03415																				
	9 WALL BOARD	3-03416																				
	10 SHORT SPACER	3-03417																				
	11 M 14 KNULED NUT	3-03418																				
	12 HEXAGON SOCKET HEAD KEY SW4	3-03419																				
	13 CENTERING SLEEVE Ø 15 MM	3-03420																				
	14 CENTERING SLEEVE Ø 17 MM	3-03421																				
	15 CENTERING SLEEVE Ø 20 MM	3-03422																				
	16 PIAGGIO CENTERING SLEEVE	3-03423																				
	17 BMW/HONDA PRESSURE PIECE	3-03407																				
	PRA3 Motorcycle extension for sensor. For models with clip.	8-21100116		-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT	EM9980 C	EM9780 C	EM9780 PL	EM9680 C	EM9680 PL	EM9550 C	EM9550 PL	EM9380 C	EM9380 TC	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C	EM9250 PL	EM9250 PF	EM9250 BA	EM9250 RA																																									
	Ø10mm Centering shaft extra-long 230mm, for possible completion of CODE 8-21120012 <table><tr><td>1</td><td>SHAFT Ø 10 MM</td><td>3-03864</td></tr><tr><td>2</td><td>SPACER</td><td>3-03865</td></tr><tr><td>3</td><td>CENTERING CONE D. 12÷20 MM</td><td>3-03866</td></tr><tr><td>4</td><td>RING NUT M 10</td><td>3-03867</td></tr></table>	1	SHAFT Ø 10 MM	3-03864	2	SPACER	3-03865	3	CENTERING CONE D. 12÷20 MM	3-03866	4	RING NUT M 10	3-03867	8-21100257		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																													
1	SHAFT Ø 10 MM	3-03864																																																													
2	SPACER	3-03865																																																													
3	CENTERING CONE D. 12÷20 MM	3-03866																																																													
4	RING NUT M 10	3-03867																																																													
MOTORCYCLE STANDARD ACCESSORIES																																																															
	PRA4 Motorcycle extension for sensor. For models without clip.	8-21100155		-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	■																																									
	BIKE UPGRADE KIT 19 ADDITIONAL MODULE TO BIKE UNIVERSAL KIT <table><tr><td>1</td><td>CENTERING SLEEVE D. 22 MM</td><td>3-03383</td></tr><tr><td>2</td><td>CENTERING SLEEVE D. 25,4 MM</td><td>3-03384</td></tr><tr><td>3</td><td>CENTERING SLEEVE D. 25 MM</td><td>3-03385</td></tr><tr><td>4</td><td>CENTERING SLEEVE D. 26 MM</td><td>3-03386</td></tr><tr><td>5</td><td>CENTERING SLEEVE D. 28 MM</td><td>3-03387</td></tr><tr><td>6</td><td>CENTERING SLEEVE D. 32 MM</td><td>3-03388</td></tr><tr><td>7</td><td>CENTERING SLEEVE D. 35 MM</td><td>3-03389</td></tr><tr><td>8</td><td>CENTERING SLEEVE D. 30 MM</td><td>3-03390</td></tr><tr><td>9</td><td>SHORT SPACER D. 20 MM</td><td>3-03391</td></tr><tr><td>10</td><td>HARLEY D. PRESSURE SWITCH</td><td>3-03392</td></tr><tr><td>11</td><td>QUICK FIX FOR SHAFT D. 19</td><td>3-03393</td></tr><tr><td>12</td><td>M 14 KNURLED NUT</td><td>3-03418</td></tr><tr><td>13</td><td>WHEEL HOLDER SHAFT D. 19 MM</td><td>3-03396</td></tr><tr><td>14</td><td>WALL BOARD</td><td>3-03395</td></tr></table>	1	CENTERING SLEEVE D. 22 MM	3-03383	2	CENTERING SLEEVE D. 25,4 MM	3-03384	3	CENTERING SLEEVE D. 25 MM	3-03385	4	CENTERING SLEEVE D. 26 MM	3-03386	5	CENTERING SLEEVE D. 28 MM	3-03387	6	CENTERING SLEEVE D. 32 MM	3-03388	7	CENTERING SLEEVE D. 35 MM	3-03389	8	CENTERING SLEEVE D. 30 MM	3-03390	9	SHORT SPACER D. 20 MM	3-03391	10	HARLEY D. PRESSURE SWITCH	3-03392	11	QUICK FIX FOR SHAFT D. 19	3-03393	12	M 14 KNURLED NUT	3-03418	13	WHEEL HOLDER SHAFT D. 19 MM	3-03396	14	WALL BOARD	3-03395	8-21120013		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	CENTERING SLEEVE D. 22 MM	3-03383																																																													
2	CENTERING SLEEVE D. 25,4 MM	3-03384																																																													
3	CENTERING SLEEVE D. 25 MM	3-03385																																																													
4	CENTERING SLEEVE D. 26 MM	3-03386																																																													
5	CENTERING SLEEVE D. 28 MM	3-03387																																																													
6	CENTERING SLEEVE D. 32 MM	3-03388																																																													
7	CENTERING SLEEVE D. 35 MM	3-03389																																																													
8	CENTERING SLEEVE D. 30 MM	3-03390																																																													
9	SHORT SPACER D. 20 MM	3-03391																																																													
10	HARLEY D. PRESSURE SWITCH	3-03392																																																													
11	QUICK FIX FOR SHAFT D. 19	3-03393																																																													
12	M 14 KNURLED NUT	3-03418																																																													
13	WHEEL HOLDER SHAFT D. 19 MM	3-03396																																																													
14	WALL BOARD	3-03395																																																													

ACCESSORIES FOR WHEEL BALANCERS FOR CARS & MOTORCYCLES

IMAGE	DESCRIPTION	CODE		EYE-LIGHT	EM9980 C F	EM9780 C F	EM9780 PL	EM9680 C F	EM9680 PL	EM9550 C F	EM9550 PL	EM9380 C T	EM9380 TO	EM9350 C	EM9350	EM9280 C	EM9280	EM9250 C F	EM9250 PR	EM9250 PR	EM9250 BA	EM9250 BA																											
MOTORCYCLE STANDARD ACCESSORIES																																																	
	BIKE MONOLEVER KIT 19 Additional module to BIKE UPGRADE KIT for motorcycle wheels with monolever.	8-21120014		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																												
	<table><tr><td>1</td><td>CENTERING SLEEVE DUCATI/TRIUMPH</td><td>3-03397</td></tr><tr><td>2</td><td>CENTERING SLEEVE MV AGUSTA/HONDA</td><td>3-03398</td></tr><tr><td>3</td><td>CENTERING SLEEVE HONDA GL 1800 / NTV 650</td><td>3-03399</td></tr><tr><td>4</td><td>CENTERING SLEEVE APRILIA/BMW/YAMAHA</td><td>3-03400</td></tr><tr><td>5</td><td>CENTERING SLEEVE TRIUMPH/HONDA VFR1200</td><td>3-03401</td></tr><tr><td>6</td><td>PRESSUR PIECE</td><td>3-03402</td></tr><tr><td>7</td><td>CENTERING FLANGE KTM SUPERDUKE+TRIUMPH</td><td>3-03403</td></tr><tr><td>8</td><td>SPACING SLEEVE, LONG</td><td>3-03404</td></tr><tr><td>9</td><td>CENTERING DISC BMW II (FROM YEAR OF MANIFAC- TURE 2005) ALSO R V1200 GS</td><td>3-03405</td></tr><tr><td>10</td><td>CENTERING DISC BMW I (FROM YEAR OF MANI- FACTURE 2005) APART R V1200 GS, MOTO GUZZI (FROM 2008) (INTERNAL Ø 14)</td><td>3-03406</td></tr></table>	1	CENTERING SLEEVE DUCATI/TRIUMPH	3-03397	2	CENTERING SLEEVE MV AGUSTA/HONDA	3-03398	3	CENTERING SLEEVE HONDA GL 1800 / NTV 650	3-03399	4	CENTERING SLEEVE APRILIA/BMW/YAMAHA	3-03400	5	CENTERING SLEEVE TRIUMPH/HONDA VFR1200	3-03401	6	PRESSUR PIECE	3-03402	7	CENTERING FLANGE KTM SUPERDUKE+TRIUMPH	3-03403	8	SPACING SLEEVE, LONG	3-03404	9	CENTERING DISC BMW II (FROM YEAR OF MANIFAC- TURE 2005) ALSO R V1200 GS	3-03405	10	CENTERING DISC BMW I (FROM YEAR OF MANI- FACTURE 2005) APART R V1200 GS, MOTO GUZZI (FROM 2008) (INTERNAL Ø 14)	3-03406																		
	1	CENTERING SLEEVE DUCATI/TRIUMPH	3-03397																																														
	2	CENTERING SLEEVE MV AGUSTA/HONDA	3-03398																																														
	3	CENTERING SLEEVE HONDA GL 1800 / NTV 650	3-03399																																														
	4	CENTERING SLEEVE APRILIA/BMW/YAMAHA	3-03400																																														
	5	CENTERING SLEEVE TRIUMPH/HONDA VFR1200	3-03401																																														
	6	PRESSUR PIECE	3-03402																																														
	7	CENTERING FLANGE KTM SUPERDUKE+TRIUMPH	3-03403																																														
	8	SPACING SLEEVE, LONG	3-03404																																														
9	CENTERING DISC BMW II (FROM YEAR OF MANIFAC- TURE 2005) ALSO R V1200 GS	3-03405																																															
10	CENTERING DISC BMW I (FROM YEAR OF MANI- FACTURE 2005) APART R V1200 GS, MOTO GUZZI (FROM 2008) (INTERNAL Ø 14)	3-03406																																															
	Ø14mm Centering shaft extra-long 318mm, for possible completion of code 8-21120012	8-21120016		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																												
	Ø19mm Centering shaft extra-long 365mm, for possible completion of code 8-21120013	8-21120017		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																												

EM 9050 SPACESAVER

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION	
0-21109051/16	200-230V/1Ph/50-60Hz	EM 9050 SPACESAVER - Hand Spin Portable wheel balancer for car tyres, compact in dimensions and weight; specially designed for the mobile service and for workshops having a reduced working space. Manual spin version. SmartArm 28" automatic wheel sizes detection. Lever operated brake.	
0-21109050/16	200-230V/1Ph/50-60Hz	EM 9050 SPACESAVER - Motorized Spin Portable wheel balancer for car tyres, compact in dimensions and weight; specially designed for the mobile service and for workshops having a reduced working space. Lever-actuated motorized spin version. SmartArm automatic wheel sizes detection. Lever operated brake.	
0-21109055/16	100-115V/1Ph/50-60Hz	As above, but with different power supply	

EM 9050 - TILT UP - HAND SPIN


STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109052/16	200-230V/1Ph/50-60Hz	EM 9050 - TILT UP - Hand Spin Special version for mobile service. Ideal to work inside the van thanks to the possibility of tilting the measuring unit to vertical position. Manual spin version, SmartArm automatic wheel size detection. Lever operated brake.

EM 9050 - SLIDE - MOTORIZED SPIN

STANDARD ACCESSORIES




CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109053/16	200-230V/1Ph/50-60Hz	Special version for mobile service. It can be extracted from the side door and allows working comfortably outside the van. Lever-actuated motorised spin version, SmartArm automatic wheel size detection. Lever operated brake.


EM 9050 WORKBENCH

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21109057/16	100÷230/1Ph/50-60Hz	EM9050 WORKBENCH - Hand Spin. Extremely compact wheel balancer. it can be fixed to a workbench. For hobbyists, small workshops or for mobile service. SmartArm 28" ' automatic wheel size detection. Lever operated brake. Manual spin version.
0-21109056/16	200÷230/1Ph/50-60Hz	EM9050 WORKBENCH - Motorized Spin. Extremely compact wheel balancer. It can be fixed to a workbench. For hobbyists, small workshops or mobile service. SmartArm 28" ' automatic wheel size detection. Lever operated brake. Lever-actuated motorised spin version
0-21109058/16	100÷115V/1Ph/50-60Hz	EM9050 WORKBENCH - Motorized Spin. As above, but with different power supply


RECOMMENDED ACCESSORIES FOR CAR MOBILE SERVICE				EM 9050 HS	EM 9050 Motor	EM 9050 Tilt	EM 9050 Slide	EM 9050 WB HS	EM 9050 WB Motor
IMAGE	DESCRIPTION	CODE							
	PL side foot for installation without anchoring to floor; available in red (/16) and grey (/90) color (not for EM9050 SLIDE version)	8-21101100/XX		0	0	0	-	-	-
	Trolley Kit for an easier handling (not for EM9050 SLIDE version)	8-21101200		0	0	0	-	-	-
	AL12 - 12v power supply kit (only for EM9050 Hand Spin versions)	8-21101000		0	-	0	-	0	-
	TILT kit to obtain the TILT version; Ideal to work inside the van thanks to the possibility of tilting the measuring unit to vertical position	8-21101300		0	0	-	-	-	-
	KFTU Kit - anchoring kit to floor (already supplied with EM9050 Hand Spind, EM9050 Motorized Spin, EM9050 TILT UP)	8-21101010		■	■	■	-	-	-

RECOMMENDED ACCESSORIES FOR CAR MOBILE SERVICE				EM 9050 HS	EM 9050 Motor	EM 9050 Tilt	EM 9050 Slide	EM 9050 WB HS	EM 9050 WB Motor
IMAGE	DESCRIPTION	CODE							
	ARF Accessory for off-road wheels Ø 100 ÷118,5 mm, Ø 100 ÷129,5 mm CGF - OFF-ROAD WHEEL CONE (VANS) 4-103186 PCF1 - WHEEL PROTECTOR FOR CENTRING ALLOY RIMS 4-115868 CF1 - WHEEL CLAMPING CAP 4-115863	8-21100080		0	0	0	0	0	0
	MLC Handle spin for FRU-SA flange	802244344		0	-	0	-	0	-
 DX1 CF1 CF2	DX/CBF Centring accessory for vans and of-road wheels Ø 117÷173 mm.	8-21100141		0	0	0	0	0	0
	DX1 SPACER 4-107426								
	CF1 CONE FOR VANS Ø 117÷147 MM 4-107423								
	CF2 CONE FOR VANS Ø 143÷173 MM 4-107424								
	SBC Set of six centring bushes ø 40 mm.	8-21100082		0	0	0	0	0	0
	B1 AUDI, BMW, CHRYSLER, OPEL, ROVER, SEAT, VW, DAEWOO, GALAXY (FORD), LOTUS, BRITISH-LEYLAND, SMART (MERCEDES), SKODA 4-105075								
	B2 CITRÖEN, HYUNDAI, LANCIA, MASERATI, MAZDA, MERCEDES, MITSUBISHI, NISSAN, OPEL, PEUGEOT, SAAB, VOLVO. 4-105076								
	B3 BMW, JAGUAR, ASTON MARTIN. 4-105077								
	B4 FORD, HONDA, ROVER 4-105078								
	B5 AUTOBIANCHI, ALFA ROMEO, CITRÖEN, FIAT, LADA, LANCIA, JALBOT, BITURBO (MASERATI), MAZDA, NISSAN, PEUGEOT, PORSCHE, RENAULT, 2600-3500 SERIE (ROVER), SEAT =>90, SKODA, TOYOTA. 4-105079								
	B7 CITRÖEN, DAIHATSU, HONDA, KIA, MAZDA, MITSUBISHI, PEUGEOT, ROVER, SUBARU, TOYOTA, AGILA (OPEL), SUZUKI, HYUDAY. 4-105080								
	VGBP Handle for wheel ring nut	802260682		0	■	0	■	0	■

RECOMMENDED ACCESSORIES FOR CAR MOBILE SERVICE				EM 9050 HS	EM 9050 Motor	EM 9050 Tilt	EM 9050 Slide	EM 9050 WB HS	EM 9050 WB Motor
IMAGE	DESCRIPTION	CODE							
	LASER BLADE KIT: to guide the operator in choosing the rim's inner planes without any errors and with extremely good visibility	8-21120022		0	0	0	0	0	0


ET 1050 MOBILE TRUCK

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21101050/34	100÷230V/1ph/50-60Hz	ET1050 MOBILE TRUCK Hand spin. Portable wheel balancer for cars, trucks and bus tyres, compact in dimensions and weight; It can be fitted on every type of tyre changer for trucks with 4-arms wheel clamping system. Specially designed for the mobile service and for workshops having a reduced working space.
8-21101051		Compulsory customizing ET1050 Mobile Truck

RECOMMENDED ACCESSORIES FOR ET 1050 MOBILE TRUCK

IMAGE	DESCRIPTION	CODE	
	ART40 - TRUCKS FLANGES CENTERING KIT	8-21900220	
	GGR40 - Centering kit diam 40 for central hole wheels 183,5÷223 mm - 17,5"-19,5"rims (IVECO-MAN- DAF)	8-21100261	
	CAR MATE centering and clamping kit $\varnothing$ 42÷ 103,5 mm	8-21100278	
	Trolley kit for storage stand	8-21101052	
	DTMS Adapter for mounting truck centering accessories, ART 40 EVO, KCT 40 EVO, and ARV 40.	8-21100267	

ET 1680 TRUCKLINE TOUCH

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
O-21101680/16	200-230V / 1PH / 50-60HZ	Advanced touch-screen wheel balancer for heavy-duty wheels, capable of lifting and balancing wheels up to 52" in diameter and 300 kg. With the SMART ARM PLUS system, it provides fast and precise measurements using the Fast Selection Program (FSP) and the LaserBlade and LaserLine Pro pointers. It includes a variety of programs, including the Weight Management Plus. Optional SONAR sensors transform it into an advanced diagnostic tool, capable of detecting and correcting geometric defects that cause vibrations not solvable with traditional balancing (AWD Sonar and Run-Out kit not included).
O-21101681/16	100-115V / 1PH / 50-60HZ	As above, but with different power supply

ET 1650 TRUCKLINE

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-21101650/16	200-230V / 1PH / 50-60HZ	Digital wheel balancer for heavy-duty wheels , capable of lifting and balancing wheels up to 52" in diameter and 300 kg. Equipped with the SMART ARM PLUS system, it ensures fast and precise measurements through the Fast Selection Program (FSP) and the LaserBlade and LaserLine Pro indicators. Easy to use, the balancer offers a wide range of programs to meet every need, guaranteeing excellent performance in all conditions. (AWD Sonar not included).
0-21101651/16	100-115V / 1PH / 50-60HZ	As above, but with different power supply


ET 1450 TRUCKLINE

STANDARD ACCESSORIES





CODE	ELECTRICAL SUPPLY	DESCRIPTION	
0-21101450/16	200÷230V/1PH/50-60HZ	Compact motorized truck/bus balancer, SmartArm 28", AWC, automatic brake at the end of the spin; Inverter Technology System; integrated wheel lift	
0-21101452/16	100÷115V/1PH/50-60HZ	As above but with different power supply	
0-21101451/16	100÷230V/1PH/50-60HZ	Compact handspin truck/bus balancer, SmartArm 28", AWC, manual brake, integrated wheel lift	

ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS


ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS				ET1680	ET1650	ET1450 MO	ET1450 HS
IMAGE	DESCRIPTION	CODE					
CENTRING AND CLAMPING							
	KIT ART 40 EVO - Premium heavy duty adaptor kit		8-21100269		0	0	0
	FAT 1	FAT1 EVO SUPPORT FLANGE FOR TRUCK RIMS WITH CENTRAL HOLE Ø160/176/200 MM	4-141439				
	FAT 2	FAT2 EVO SUPPORT FLANGE FOR TRUCK RIMS WITH CENTRAL HOLE Ø220/280 MM	4-141440				
	PT	PIN FOR CENTERING TRUCK WHEELS WITH Ø18÷35 MM HOLES	5-125120				
	PMT	MAXI PIN FOR CENTERING TRUCK WHEELS WITH Ø28÷47 MM HOLES	5-125119				
	MFE	MFE 40 CENTERING FLANGE FOR TRUCK WHEELS WITH 6/8/10 FIXING HOLES 6 X 205 / 6 X 222 / 6 X 245 / 8 X 275 / 8 X 285 / 10 X 225 / 10 X 285,75 / 10 X 335	5-125117				
	RFT	RFT HOLE DETECTOR FOR MEASURING	5-125118				
	KCT 40 EVO - Heavy duty cone kit		8-21100268		0	0	0
	CT 161	D40 MEDIUM DOBULE SIDE CONE Ø159÷180/ 198÷204 MM	4-141436				
	DTB 2	DOUBLE SIDE TRUCK WHEEL SUPPORT SPACER FLANGE	4-141437				
	CT 221	D40 LARGE DOUBLE SIDE CONE Ø 220÷281 MM	4-141438				
	ARV 40 PREMIUM Medium & Light commercial veichle adaptor kit		8-21100270		0	0	0
	FAT 3	FAT3 SUPPORT FLANGE FOR RIMS WITH CENTRAL HOLE Ø129/141 MM	4-141446				
	FAT 4	FAT4 SUPPORT FLANGE FOR RIMS WITH CENTRAL HOLE Ø137/160 MM	4-141445				
	RFT	RFT HOLE DETECTOR FOR MEASURING	5-125118				
	PT	PIN FOR CENTERING TRUCK WHEELS WITH Ø18÷35 MM HOLES	5-125120				
	FPF6	FPF6 D40 CENTERING FLANGE FOR WHEELS WITH 6 FIXING HOLES 170 / 180 / 184,15 / 185 / 200 / 205 / 214,5 / 222,3 / 241,3/ 245 "	5-125122				


ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS				ET1680	ET1650	ET1450 MO	ET1450 HS	
IMAGE	DESCRIPTION	CODE						
CENTRING AND CLAMPING								
	GGR40 Centering kit ø 40 for central hole wheels 183,5÷223 mm - 17,5"-19,5"rims (IVECO-MAN- DAF)	8-21100261		0	0	0	0	
 DX1 CF1 CF2	DX-CBF Centring accessory for vans and off-road wheels Ø 117÷173 mm		8-21100141	0	0	0	0	
	DX1	SPACER						4-107426
	CF1	CONE FOR VANS Ø 117÷147 MM						4-107423
	CF2	CONE FOR VANS 143÷173 MM						4-107424
	ARU40 Ø42÷156 mm (1.65"÷6,14") - recessed spring included	8-21900191		0	0	0	0	
	CBG-2 Alloy wheel clamping cup (Ø 220 mm). Suits GTR40 EVO quick nut	8-21100284		0	0	0	0	
	GTR40 EVO PRO - Premium steel quick nut Ø 40x4 mm	8-21100275		0	0	0	-	
	GTR40 EVO - Quick nut Ø 40x4 mm	8-21100276		0	0	0	-	

ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS				ET1680	ET1650	ET1450 MO	ET1450 HS
IMAGE	DESCRIPTION	CODE					
CENTRING AND CLAMPING							
	GTR40 EVO HS - Quick nut Ø 40x4 mm with turning handle for truck & car	8-21100279		-	-	-	0
	GTV40 - Ring nut Ø 40x4 mm	8-21900194		0	0	0	-
	GTM40 - Ring nut Ø 40x4 mm	8-21100272		-	-	-	0
	TWS40 Truck wheel spacer Ø 40 (30mm - 1.19")	8-21100290		0	0	0	0
 FT 1 DEB RFS CHT6 CHI6 CEP	FRU-SA D.40 Universal flange for wheels with or without central hole.		8-21100091	0	0	0	0
	FT 1	CONNECTING ROD WITH PIN	2401415				
	DEB	CONICAL/SPHERIC NUT FOR WHEEL FIXING	321878				
	CHT6	CHIAVE ESAGONALE A T CH 6	4-105877				
	RFS	CALIPER	441286				
	CEP	HEXAGONAL KEY CH 22	426517				
	CHI 6	HEXAGONAL KEY CH 6	600906				

ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS				ET1680	ET1650	ET1450 MO	ET1450 HS
IMAGE	DESCRIPTION	CODE					
CENTRING AND CLAMPING							
	MLC hand spin handle for FRU-SA flange	802244344		-	-	-	0
ELECTRONIC DEVICES							
	AWD kit for wheel width measurement by Sonar sensor	8-21100293/90		0	0	-	-
	RRS-W Radial Runout Sonar Wheel for the measurement of the tire's radial eccentricity	8-21100300/90		0	-	-	-
	RRS-R Radial Runout Sonar Rim for measuring the wheel rim's radial eccentricity. Function available only when the RRS-W kit is present	8-21100301		0	-	-	-
	LRS-W Lateral Runout Sonar Wheel for measuring the lateral eccentricity of the tire sidewall. Function available only when the RRS-W kit is present	8-21100302		0	-	-	-

ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS							
IMAGE	DESCRIPTION	CODE		ET1680	ET1650	ET1450 MO	ET1450 HS
 LAN CONNECTION KIT	LAN CONNECTION KIT Interconnection kit of the wheel balancer to the company management system network; it allow to view, archive and print remotely the different measurement and diagnostic reports of the diagnostic wheel balancer.	8-21100255		0	-	-	-
	AL12 - 12v power supply kit (only for EM9050 Hand Spin versions)	8-21101000		-	-	-	0
	Laser & Led kit	8-21100238		-	-	0	0

ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS				ET1680	ET1650	ET1450 MO	ET1450 HS
IMAGE	DESCRIPTION	CODE					
MISCELLANEOUS							
	LASER BLADE KIT: to guide the operator in choosing the rim's inner planes without any errors and with extremely good visibility	8-21120022		■	■	0	0
	TRUCK TROLLEY KIT for an easier handling	8-21101400		-	-	0	0
	ROLL-BAR KIT - Side protection	8-21101401		-	-	0	0
	ACCESSORY RACK	8-21101402		0	0	0	0

ACCESSORIES FOR OFF-THE-VEHICLE WHEEL BALANCERS FOR TRUCKS				ET1680	ET1650	ET1450 MO	ET1450 HS
IMAGE	DESCRIPTION	CODE					
	KFTU Kit - anchoring kit to floor (already supplied with EM9050 Hand Spind, EM9050 Motorized Spin, EM9050 TILT UP)	8-21101010		-	-	0	0
	AWR Adhesive weight remover.	802461006		0	0	0	0
	TWG Wheel guard kit with support.	8-21100298/90		-	-	0	-



CORGHI IS A BRAND OF NEXION GROUP

VIA STRADA STATALE 468, N° 9
42015 CORREGGIO (RE)
T. +39 0522 639111
INFO@CORGHI.COM



www.corghi.com

To protect the planet and reduce paper usage, our catalogues are viewable online at the website www.corghi.com. Printing responsibly contributes to saving the environment.

The manufacturer reserves the right to modify the features of its products at any time.