

EQUIPMENT CATALOGUE EXPORT



**MISCELLANEOUS
and Original Accessories**

effective from march 2026 / rel. july 2026

COLOR TABLE

RAL 3002		Corghi Red / Citroen	/16
RAL 9007		Mercedes Grey	/37
RAL 7040		Volkswagen Grey / Fiat	/39
RAL 7030		Maserati / Ferrari Grey	/69
RAL 7016		BMW Grey	/34
RAL 5002		Peugeot Blue	/20
RAL 1003		Renault Yellow	/45

Different colors subject to confirmation of the Export dept, with possible surcharge.

■ : STANDARD O : COMPATIBLE - : NOT COMPATIBLE

Nexion SpA reserves the right to change the specifications of its products at any time without prior notice.

The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

AUXILIARY WHEEL LIFTERS

PARTNER 70

4
4

RIM REPAIR SYSTEM

RR104

RR206

5
5
5

IMPACT WRENCHES

SERIE AV

7
7

VULCANIZERS

VP1 - VP2 - VP3

VP4 - VP5 - VP5L

10
10
11

TYRE SPREADERS

SP 17

TYRE SPREADERS OPTIONAL ACCESSORIES

13
13
14

TYRE TEST TANKS

TS18 - TS24

15
15

NITROGEN GENERATORS

SERIE C&S

16
16

AIR CONDITIONING SYSTEM DIAGNOSIS & RECHARGE STATION

A/C 1100 SERIES

A/C 1105 SERIES

A/C 1600 SERIES

A/C 1605 SERIES

19
19
20
21
22

WHEEL WASHER

WED 850

24
24

PARTNER 70

INFORMATION

Battery-Operated Wheel Lifter
- it helps to easily and safely
demount, move and mount the
wheels of cars, SUVs and LT
vehicles weighting up to 70kg




CODE	ELECTRICAL SUPPLY	DESCRIPTION	PRICE €
8-21120018/64		PARTNER 70 forks lenght 300 mm	
8-21100263/64		PARTNER 70 forks lenght 500 mm	

RR104




STANDARD ACCESSORIES



RR206



STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-51100801/16	400V/3Ph/50-60Hz	RR104 Rim Repair System (rim Ø 10" - 24")
0-51100802/16	230V/1Ph/50-60Hz	RR104 Rim Repair System (rim Ø 10" - 24")
0-51100901/16	400V/3Ph/50-60Hz	RR206 Rim Repair System (rim Ø 10" - 26")
0-51100902/16	230V/1Ph/50-60Hz	RR206 Rim Repair System (rim Ø 10" - 26")

RIM REPAIR SYSTEM OPTIONAL ACCESSORIES

NEW



Bushing kit $\varnothing 56,1 \div 69,9$ H10

8-51100061

0

0

Bushing kit $\varnothing 70,2 \div 76$ H10

8-51100062

0

0

Bushing kit $\varnothing 73,1 \div 120,9$ H10

8-51100078

0

0

NEW



Infrared rim heater 400V

8-51100064/00

0

0

Infrared rim heater 230V

8-51100065/00

0

0

NEW



Kit polish & clean

8-51100066/00

0

-

Kit polish & clean

8-51100067/00

-

0

SERIE AV

AV 100



AV 102



AV 150



AV 200 / AV 201



CODE	DESCRIPTION
0-51101101/16	AV 100 1/2" L impact wrench with square drive 1/2", anvil length 90mm (available until stocks last)
0-51101701/90	AV 102 1/2" impact wrench with square drive 1/2"
0-51101801/90	AV 102 1/2" L impact wrench with square drive 1/2", anvil length 51.4 mm
0-51101201/16	AV 150 3/4" for earth movement and farming vehicles, impact wrench with square drive 3/4"
0-51101301/16	AV 150 3/4" L for earth movement and farming vehicles, impact wrench with square drive 3/4", anvil length 156,50 mm
0-51101401/16	AV 200 1" for truck and buses, impact wrench with square drive 1" (available until stocks last)
0-51101501/16	AV 200 1" L for truck and buses, impact wrench with square drive 1" anvil length 156,50 mm (available until stocks last)
0-51101402/16	AV 201 1" for truck and buses, impact wrench with square drive 1" (reinforced)
0-51101502/16	AV 201 1" L for truck and buses, impact wrench with square drive 1" anvil length 156,50 mm (reinforced)
8-21100265	Compulsory customization kit

IMPACT WRENCHES OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE			
			AV 100	AV 150	AV 200
	Turning connectors 1/2"	8-51100039	-	0	0
	Turning connectors 1/4"	8-51100040	0	-	-
	Impact socket 1/2" x 17 mm, short	8-51100041	0	-	-
	Impact socket 1/2" x 19 mm, short	8-51100042	0	-	-
	Impact socket 1/2" x 21 mm, short	8-51100043	0	-	-
	Impact socket 3/4" x 24 mm, short	8-51100045	-	0	-
	Impact socket 3/4" x 26 mm, short	8-51100044	-	0	-
	Impact socket 3/4" x 27 mm, short	8-51100046	-	0	-
	Impact socket 1" x 30 mm, short	8-51100047	-	-	0
	Impact socket 1" x 32 mm, short	8-51100048	-	-	0
	Impact socket 1" x 33 mm, short	8-51100049	-	-	0

IMPACT WRENCHES OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE			
			AV 100	AV 150	AV 200
	Torque extension Ø12 mm 1". Max Torque Nm 630	8-51100050	-	-	0
	Torque extension Ø13mm 1". Max Torque Nm 760	8-51100051	-	-	0
	Torque extension Ø14 mm 1". Max Torque Nm 850	8-51100052	-	-	0
	Nipple male thread 1/4"	8-51100053	0	-	-
	Nipple male thread 1/2"	8-51100054	-	0	0
	Couple hose barb Ø8 mm	8-51100055	0	-	-
	Couple hose barb Ø13 mm	8-51100056	-	0	0

VP1 - VP2 - VP3




CODE	ELECTRICAL SUPPLY	DESCRIPTION
5100010101	230V / 1Ph / 50-60Hz	VP1 Vulcanizers with manual lever operated plate clamping
5100020101	230V / 1Ph / 50-60Hz	VP2 Vulcanizers with air-operated closing mechanism, to repair inner tubes and lightweight tyres
5100030101	230V / 1Ph / 50-60Hz	VP3 Vulcanizers Strongly built and easy to use, ideal to repair inner tubes and light weight tyres 600W heating plate.

VP4 - VP5 - VP5L



CODE	ELECTRICAL SUPPLY	DESCRIPTION
5100040101	230V / 1Ph / 50-60Hz	VP4 Vulcanizer with double heating plate airoperated system to close the plates monitored by a pressure governor.
5100050101	230V / 1Ph / 50-60Hz	VP5 Vulcanizer with mechanically closed double heating plate.
5100060101	230V / 1Ph / 50-60Hz	VP5/L Vulcanizer with mechanically closed double heating plate. Portable and easy to handle. Complete with 120 minutes timer. Two wide 600 W heating plates.

VULCANIZERS OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE	
	Support stand	805420833	

SP 17



CODE	ELECTRICAL SUPPLY	DESCRIPTION	PRICE €
5200010101	400V / 3Ph / 50-60Hz	SP17 To inspect car and light vehicles tyres.	

TYRE SPREADERS OPTIONAL ACCESSORIES				SP17
IMAGE	DESCRIPTION	CODE	PRICE €	
	Sander	805491444		0
	Suction unit	805491445		0

TS18 - TS24



CODE	DESCRIPTION
5300040101	TS18 A Air-operated with 6/8 bar operating pressure, complete with wheel holder lifting and lowering control. Maximum wheel diameter 800 mm. Maximum wheel width 320 mm.
5300020101	TS24 Complete with air filter, air-operated with 8 bar operating pressure. Maximum wheel diameter 1300 mm. Maximum wheel width 500 mm.

SERIE C&S

C&S 300



C&S 500




C&S 1800



CODE	DESCRIPTION	
0-55101200/16	C&S 300 Nitrogen generator with capacity 3,0 Nm ³ /h (3000 lit/h)	
0-55101300/16	C&S 500 Nitrogen generator with capacity 5,0 Nm ³ /h (5000 lit/h)	
0-55101600/16	C&S 1800 Nitrogen generator with capacity 18,0 Nm ³ /h (18.000 lit/h)	

NITROGEN GENERATORS OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE	
	WS Cyclonic condensate separator.	8-53600000	
	AT Pipes take-up.	8-55600001	
	PSG Professional inflating and deflating pistol.	8-55600002	
	EC Inflating and deflating pistol, pressure gauge BAR G 1/4"	8-11100362	

NITROGEN GENERATORS OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE	
	EC Inflating and deflating pistol, pressure gauge BAR and PSI G 1/4"	8-51120007	
	NT Kit for measuring purity	8-11600127	
	Filter cartridges 3-5 Nm3/h	8-55600023	
	Filter cartridges 20 Nm3/h	8-55600024	
	Air contamination indicator	8-55600025	

A/C 1100 SERIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-66501001/64	230V/1Ph/50-60Hz	A/C1100 Air Conditioning recharging station , R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicle management, 192x64pixels LCD display, Wi-Fi/BT connection
0-66501401/64	230V/1Ph/50-60Hz	A/C1100P Air Conditioning recharging station , R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 192x64pixels LCD display, Wi-Fi/BT connection, printer included

A/C 1105 SERIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-66501101/64	230V/1Ph/50-60Hz	A/C1105 Air Conditioning recharging station , R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 192x64pixels LCD display, Wi-Fi/BT connection
0-66501501/64	230V/1Ph/50-60Hz	A/C1105P Air Conditioning recharging station , R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicle management, 192x64pixels LCD display, Wi-Fi/BT connection, printer included

A/C 1600 SERIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-66501201/64	230V/1Ph/50-60Hz	A/C1600 Fully automatic Air Conditioning recharging station , R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RBG display , Wi-Fi/BT connection
0-66501601/64	230V/1Ph/50-60Hz	A/C1600P Fully automatic Air Conditioning recharging station , R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RBG display , Wi-Fi/BT connection, printer included

A/C 1605 SERIES




CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-66501301/64	230V/1Ph/50-60Hz	A/C 1605 Fully automatic Air Conditioning recharging station , R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RGB display , Wi-Fi/ BT connection
0-66501701/64	230V/1Ph/50-60Hz	A/C 1605P Fully automatic Air Conditioning recharging station , R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RGB display , Wi-Fi/ BT connection, printer included

AIR CONDITION RECHARGE STATION OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE	
	High/low pressure pipes kit L=4,5 mt for, R1234yf refrigerant	8-66500010	
	High/low pressure pipes kit L=4,5 mt, for R134a refrigerant	8-66500011	
	Leak detector with Nitrogen	8-66500209	
	Leak detector kit including UV lamp and glasses only.	6019000305	

WED 850

STANDARD ACCESSORIES



CODE	ELECTRICAL SUPPLY	DESCRIPTION
0-55100800/16	400V / 3Ph / 50Hz	WED 850 B Steel tank without heater
0-55100700/16	400V / 3Ph / 50Hz	WED 850 P Steel tank and heater
0-55100900/16	230V / 3Ph / 50Hz	WED 850 P Steel tank and heater
0-55101500/16	400V / 3Ph / 50Hz	WED 850 T Stainless steel tank and heater
0-55101511/16	230V / 3Ph / 60Hz	WED 850 T Stainless steel tank and heater

WHEEL WASHER OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE	
	RTP kit, replacing kit for drive roller	8-55600026	
	RSA kit, replacing kit for support roller	8-55600027	
	Wheel lifter	8-51120005	

WHEEL WASHER OPTIONAL ACCESSORIES

IMAGE	DESCRIPTION	CODE	
	Set of granules for filling (15kg)	8-51100063	
	Non-foaming liquid detergent 10 lt	8-55600010	
	VSS Ball faucet for water drainage	8-55600019	
	RCS Elbow fitting for water drainage	8-55600018	



CORGHI IS A BRAND OF NEXION GROUP

VIA STRADA STATALE 468, N° 9
42015 CORREGGIO (RE)
T. +39 0522 639111
INFO@CORGHI.COM



www.corghi.com

To protect the planet and reduce paper usage, our catalogues are viewable online at the website www.corghi.com. Printing responsibly contributes to saving the environment.

The manufacturer reserves the right to modify the features of its products at any time.