

PRO^DIGITAL^DAS

CALIBRATION SYSTEM

QUICK, ACCURATE, ERGONOMIC, INTUITIVE



Passion To Innovate

•mechanical workshops •body shops •car glass repairers •wheel specialists



- Ergonomic working position. Thanks to its design **the operator performs all adjustments without moving.**
- **Electrical movement** (up/down) of the system.
- **1 single operator** required for its use.
- Compatible for use with cars and commercial vehicles even if positioned on car lift or other structure. **The software compensates for the offset of the levelled surface** where the vehicle is located.
- Easy to move, thanks to its **4 oversized swivel castors**, it can be transported effortlessly. **Robust and reliable, designed to meet the needs of every workshop.**



- **Maximum precision and accuracy** thanks to the integrated technology.




INTUITIVE



- Immediate system positioning thanks to the information communicated in real time by the **integrated wireless devices** (PATENT PENDING).


- **Error-proof.** The software contains the **preloaded positioning values**. It displays the point where it is and guides the system in its operations.



ACCURATE ADJUSTMENT




- Through specific knobs it is possible to **align accurately and quickly** the system PROADAS with respect to the vehicle.
- **Operator immediately productive!**
- **Simplified procedures** within the software **guide the operator step by step** in the alignment and calibration of the ADAS system.



PLUG & PLAY

PROADAS RS / TS VERSION

**PROADAS RS DIGITAL**

- System alignment is possible via 4 **CCD sensors/heads**, 2 mounted in the horizontal bar of the PROADAS and 2 in the rear axle of the vehicle using specific clamps.

PROADAS TS DIGITAL

- Using the CCD sensors of the Corgi wheel aligners, the PROADAS can be aligned in the same way as the **RS configuration**.

- **CCD sensors can be used to measure the vehicle's alignment** and perform adjustments, converting the PROADAS into a **complete wheel alignment service station** (optional).




**COMPLETE WHEEL
ALIGNMENT SERVICE**

TS-3D / START VERSION



PROADAS TS-3D DIGITAL

- Alignment of the PROADAS is possible via the **wheel aligner cameras** and **targets** mounted on the system and the vehicle.




PROADAS START DIGITAL

- Alignment of the PROADAS is possible via **BT laser pointers** and **targets** mounted on the vehicle.



PROADAS TS-3D




2773

Technical data

Maximum dimensions:
Depth **865** mm
Weight **178** kg



PROADAS START




2773

Technical data

Maximum dimensions:
Depth **865** mm
Weight **169** kg



PROADAS RS-TS



2610

Technical data

Maximum dimensions:
Depth **897** mm
Weight **206** kg

PROADAS DIGITAL

WE CALIBRATE SAFETY



Passion To Innovate

corgi.com



check out the website