CORGHI

REVERSIBLE LOW-PROFILE ELECTROHYDRAULIC SCISSORS LIFT

ERCO C350 B

Ideal for tyre specialists, car workshops, and body repairers

FOR CARS, SUVS AND VANS



- Alignment ensured by two robust anti-torsion bars
- Start lever from zero position to maximum height
- Hot galvanized base as standard, painted scissors, runways and ramps
- Robust structure of scissors, offering great lateral stability



When fixed to the floor through suitable anchor bolts, the lift is fully compliant to what specified in ***EN1493:2022*** norm.

Hydraulic system

Redundant hydraulic system with two cylinders per runway, without the need for compressed air and mechanical safety devices.




Control unit

Low voltage control unit with “dead-man” control system.




Runways with flaps

Runways with hung flaps, which also serve as ramps to get the vehicle on. Their “almond-shaped” structure ensures good manoeuvrability even in wet conditions.



RECOMMENDED ACCESSORIES





8-41100228
KIT ON CARRIAGE
Consisting of wheels and manual lever

8-42300027
RUBBER BLOCKS
kit 4 pezzi H=80 mm

See separate catalogue for further accessories.

STANDARD ACCESSORIES




RUBBER BLOCKS
Kit of 4 pcs H=80 mm

TECHNICAL DATA

Lift capacity	3500 kg
Maximum lifting height	895 mm
Minimum lifting height	105 mm
Working height	1000 mm + rubber blocks
Lifting/lowering time	16 s
Hydraulic unit	2.2 kW
Voltage	230/400V - 3Ph - 50/60Hz

DIMENSIONS



Cod. DPCG001624 05/2026

The manufacturer reserves the right to modify the features of its products at any time.

CORGHI is a Nexion spa group brand
Via Strada Statale 468, n. 9 - 42015 Correggio (RE) | +39 0522 639111 | info@corghi.com